

	Type	Hits	Search Text	DBs
1	BRS	1516	(backup same lock)\	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	1516	backup same lock	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	2	(backup same lock) and ((transmit\$ or transfer\$) with (storage near2 addresses))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	3892	((transmit\$ or transfer\$) with (storage near2 addresses))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	23	((transmit\$ or transfer\$) with (storage near2 addresses))) and (storage near2 extents)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	8	((transmit\$ or transfer\$) with (storage near2 addresses))) and (storage near2 extents)) and lock	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	10	(backup same lock) and (storage near2 extents)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	BRS	8	((backup same lock) and (storage near2 extents)) and addresses	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	BRS	0	6751616.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	BRS	2	6272491.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	BRS	2	5612865.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	BRS	2	6185601.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	BRS	5875	707/8 or 707/204 or 707/203 or 707/205	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	BRS	1297	(707/8 or 707/204 or 707/203 or 707/205) and backup	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	BRS	304	((707/8 or 707/204 or 707/203 or 707/205) and backup) and lock	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	BRS	85	((707/8 or 707/204 or 707/203 or 707/205) and backup) and lock) and SAN	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	BRS	0	((707/8 or 707/204 or 707/203 or 707/205) and backup) and lock) and SAN) and redistribution	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	BRS	3	((707/8 or 707/204 or 707/203 or 707/205) and backup) and lock) and SAN) and remap\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	BRS	5875	707/8 or 707/204 or 707/203 or 707/205	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	BRS	205	(707/8 or 707/204 or 707/203 or 707/205) and (storage near2 map\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	BRS	0	((707/8 or 707/204 or 707/203 or 707/205) and (storage near2 map\$)) and lock	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	BRS	44	((707/8 or 707/204 or 707/203 or 707/205) and (storage near2 map\$)) and lock	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	BRS	1	6611923.pn. and map\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	BRS	132	(transfer\$ with (storage near2 map))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
25	BRS	0	((transfer\$ with (storage near2 map))) and (707/8 or 707/204 or 707/203 or 707/205)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	BRS	0	((transfer\$ with (storage near2 map))) and (707/8 or 707/204 or 707/203 or 707/205)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	BRS	41	((transfer\$ with (storage near2 map))) and (map\$ with address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	BRS	2721	(transfer\$ with addresses) same map\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	BRS	38	(707/8 or 707/204 or 707/203 or 707/205) and ((transfer\$ with addresses) same map\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
1	2004/06/09 17:08			0
2	2004/06/09 17:08			0
3	2004/06/09 17:10			0
4	2004/06/09 17:10			0
5	2004/06/09 17:10			0
6	2004/06/09 17:12			0
7	2004/06/09 17:13			0
8	2004/06/10 10:06			0
9	2004/06/10 10:07			0
10	2004/06/10 10:08			0
11	2004/06/10 10:10			0
12	2004/06/10 10:18			0
13	2004/06/10 10:18			0
14	2004/06/10 10:18			0
15	2004/06/10 10:18			0
16	2004/06/10 10:18			0
17	2004/06/10 10:19			0
18	2004/06/10 10:50			0
19	2004/06/10 10:50			0
20	2004/06/10 10:51			0
21	2004/06/10 10:51			0
22	2004/06/10 10:59			0
23	2004/06/10 11:12			0
24	2004/06/10 11:12			0
25	2004/06/10 11:12			0
26	2004/06/10 11:12			0
27	2004/06/10 11:15			0
28	2004/06/10 11:16			0
29	2004/06/10 11:27			0

	Type	Hits	Search Text	DBs
30	BRS	1	(707/8 or 707/204 or 707/203 or 707/205) and ((device near2 (ID or identifier)) same (start near2 blocks))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	BRS	18	((device near2 (ID or identifier)) same (start near2 blocks))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
32	BRS	0	(707/8 or 707/204 or 707/203 or 707/205) and (device near2 identifiers)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	BRS	22	backup same (storage near2 identifier)	USPAT; EPO; JPO; DERWENT; IBM_TDB
34	BRS	1457	SAN and (map\$ with storage)	USPAT; EPO; JPO; DERWENT; IBM_TDB
35	BRS	220	(SAN and (map\$ with storage)) and backup	USPAT; EPO; JPO; DERWENT; IBM_TDB
36	BRS	84	((SAN and (map\$ with storage)) and backup) and lock	USPAT; EPO; JPO; DERWENT; IBM_TDB
37	BRS	82	((((SAN and (map\$ with storage)) and backup) and lock) and blocks	USPAT; EPO; JPO; DERWENT; IBM_TDB
38	BRS	45	(((((SAN and (map\$ with storage)) and backup) and lock) and blocks) and identifiers	USPAT; EPO; JPO; DERWENT; IBM_TDB
39	BRS	1	6434681.pn. and map	USPAT; EPO; JPO; DERWENT; IBM_TDB
40	BRS	47	(storage near2 mapp\$) and (storage near2 identifiers)	USPAT; EPO; JPO; DERWENT; IBM_TDB
41	BRS	8	((storage near2 mapp\$) and (storage near2 identifiers)) and (start near2 blocks)	USPAT; EPO; JPO; DERWENT; IBM_TDB
42	BRS	7	(transfer\$ with (LUN near2 addresses))	USPAT; EPO; JPO; DERWENT; IBM_TDB
43	BRS	2159	transfer\$ with (storage near2 addresses)	USPAT; EPO; JPO; DERWENT; IBM_TDB
44	BRS	140	(partition with file) with addresses	USPAT; EPO; JPO; DERWENT; IBM_TDB
45	BRS	19	(707/8 or 707/204 or 707/203 or 707/205) and ((partition with file) with addresses)	USPAT; EPO; JPO; DERWENT; IBM_TDB
46	BRS	4714	storage near2 maps	USPAT; EPO; JPO; DERWENT; IBM_TDB
47	BRS	19	(storage near2 maps) same (device near2 (identifier or ID))	USPAT; EPO; JPO; DERWENT; IBM_TDB
48	BRS	6466	(optical near2 disk) and (magnetic near2 disk) and (magnetic near2 tape)	USPAT; EPO; JPO; DERWENT; IBM_TDB
49	BRS	619	((optical near2 disk) and (magnetic near2 disk) and (magnetic near2 tape)) and backup	USPAT; EPO; JPO; DERWENT; IBM_TDB
50	BRS	6	((((optical near2 disk) and (magnetic near2 disk) and (magnetic near2 tape)) and backup) and (lock near3 operation))	USPAT; EPO; JPO; DERWENT; IBM_TDB
51	BRS	260	remap\$ with changes	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
52	BRS	5875	707/8 or 707/204 or 707/203 or 707/205	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
53	BRS	11	(remap\$ with changes) and (707/8 or 707/204 or 707/203 or 707/205)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
54	BRS	1	6185601.pn. and (read near2 operation)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
55	BRS	49	link near2 failover	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
56	BRS	11	(link near2 failover) and (I/O near2 operation)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
57	BRS	7	(link near2 failover) and (I/O near2 operation) and log	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
58	BRS	366	(physical near2 addresses) with copy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
30	2004/06/10 11:28			0
31	2004/06/10 11:29			0
32	2004/06/10 11:29			0
33	2004/06/10 11:33			0
34	2004/06/10 11:33			0
35	2004/06/10 11:33			0
36	2004/06/10 11:34			0
37	2004/06/10 11:34			0
38	2004/06/10 11:44			0
39	2004/06/10 11:53			0
40	2004/06/10 11:54			0
41	2004/06/10 11:55			0
42	2004/06/10 12:03			0
43	2004/06/10 11:59			0
44	2004/06/10 12:04			0
45	2004/06/10 12:34			0
46	2004/06/10 12:34			0
47	2004/06/10 12:45			0
48	2004/06/10 12:46			0
49	2004/06/10 12:46			0
50	2004/06/10 14:27			0
51	2004/06/10 14:27			0
52	2004/06/10 14:27			0
53	2004/06/10 14:38			0
54	2004/06/10 14:42			0
55	2004/06/10 14:43			0
56	2004/06/10 14:43			0
57	2004/06/10 14:50			0
58	2004/06/10 14:56			0

	Type	Hits	Search Text	DBs
59	BRS	55	((physical near2 addresses) with copy) and backup	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
60	BRS	15	((((physical near2 addresses) with copy) and backup) and (transfer\$ with addresses)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
61	BRS	6	((((physical near2 addresses) with copy) and backup) and (transmit\$ with addresses)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
62	BRS	1449	(transfer\$ with (physical near2 addresses))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
63	BRS	172	((transfer\$ with (physical near2 addresses))) and backup	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
64	BRS	40	((((transfer\$ with (physical near2 addresses))) and backup) and (I/O near2 operations)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
65	BRS	55	mutalik.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
66	BRS	2	mutalik.in. and lock	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
67	BRS	2	6360330.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
68	BRS	0	6360330.pn. and (transfer\$ with addresses)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
69	BRS	0	6360330.pn. and (transfer\$ with address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
70	BRS	2	6715036.pn. and (transfer\$ with addresses)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
59	2004/06/10 14:57			0
60	2004/06/10 15:02			0
61	2004/06/10 15:03			0
62	2004/06/10 15:04			0
63	2004/06/10 15:04			0
64	2004/06/10 15:28			0
65	2004/06/10 15:28			0
66	2004/06/10 15:29			0
67	2004/06/10 15:57			0
68	2004/06/10 15:57			0
69	2004/06/10 15:57			0
70	2004/06/10 16:29			0